

Application of Junichi MATSUDA and Akihisa Application of Junichi MATSUDA and Akihisa KURASHIMA
TRANSMISSION TIME DIFFERENCE
MEASUREMENT METHOD AND SYSTEM
Assignee: NEC CORPORATION
Our Ref: Q95408
Filed: June 9, 2006

Fig. 1





Filed: June 9, 2006

Fig. 3




Fig. 4





Fig. 5



Our Ref: Q95408 Filed: June 9, 2006

Fig. 6






Fig. 7




Application of Junichi MATSUDA and Akihisa KURASHIMA

TRANSMISSION TIME DIFFERENCE
MEASUREMENT METHOD AND SYSTEM
Assignee: NEC CORPORATION
Our Ref: Q95408
Filed: June 9, 2006

Fig. 8





Filed: June 9, 2006

Fig. 9




Fig. 10






Fig. 11



Application of Junichi MATSUDA and Akihisa KURASHIMA
TRANSMISSION TIME DIFFERENCE
MEASUREMENT METHOD AND SYSTEM
Assignee: NEC CORPORATION
Our Ref: Q95408
Filed: June 9, 2006


Fig. 12



Application of Junichi MATSUDA and Akihisa KURASHIMA

TRANSMISSION TIME DIFFERENCE
MEASUREMENT METHOD AND SYSTEM
Assignee: NEC CORPORATION
Our Ref: Q95408
Filed: June 9, 2006

Fig. 13



Application of Junichi MATSUDA and Akihisa KURASHIMA TRANSMISSION TIME DIFFERENCE

TRANSMISSION TIME DIFFERENCE
MEASUREMENT METHOD AND SYSTEM
Assignee: NEC CORPORATION

Our Ref: Q95408 Filed: June 9, 2006

Fig. 14





Fig. 15



Application of Junichi MATSUDA and Akihisa KURASHIMA
TRANSMISSION TIME DIFFERENCE
MEASUREMENT METHOD AND SYSTEM
Assignee: NEC CORPORATION
Our Ref: Q95408
Filed: June 9, 2006

Fig. 16




Fig. 17






Fig. 18



Application of Junichi MATSUDA and Akıhısa KURASHIMA
TRANSMISSION TIME DIFFERENCE
MEASUREMENT METHOD AND SYSTEM
Assignee: NEC CORPORATION
Our Ref: Q95408
Filed: June 9, 2006

Fig. 19



Application of Junichi MATSUDA and Akihisa KURASHIMA TRANSMISSION TIME DIFFERENCE MEASUREMENT METHOD AND SYSTEM

Assignee: NEC CORPORATION

Our Ref: Q95408 Filed: June 9, 2006

Fig. 20





Fig. 21



Application of Junichi MATSUDA and Akihisa KURASHIMA
TRANSMISSION TIME DIFFERENCE
MEASUREMENT METHOD AND SYSTEM
Assignee: NEC CORPORATION
Our Ref: Q95408
Filed: June 9, 2006

Fig. 22





Fig. 23



This Page is Inserted by IFW Indexing and Scanning Operations and is not part of the Official Record.

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

□ BLACK BORDERS
□ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
□ FADED TEXT OR DRAWING
□ BLURRED OR ILLEGIBLE TEXT OR DRAWING
□ SKEWED/SLANTED IMAGES
□ COLOR OR BLACK AND WHITE PHOTOGRAPHS
□ CRAY SCALE DOCUMENTS
□ LINES OR MARKS ON ORIGINAL DOCUMENT
□ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY

IMAGES ARE BEST AVAILABLE COPY.

☐ OTHER:

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.